

RAW SEQUENCE LISTING **ERROR REPORT**



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/589,777

Source: OIPE

Date Processed by STIC: 6-19-00

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR FURTHER INFORMATION, PLEASE TELEPHONE MARK SPENCER, 703-308-4212.

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 3.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

OIPE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/589,777

DATE: 06/19/2000

TIME: 12:13:06

Input Set : A:\14401023011.txt

Output Set: N:\CRF3\06192000\I589777.raw

4 <110> APPLICANT: Sukhatme, Vikas P.
 6 <120> TITLE OF INVENTION: Anti-Angiogenic Peptides and Methods of
 7 Use Thereof
 9 <130> FILE REFERENCE: 1440.1023-011
 C--> 11 <140> CURRENT APPLICATION NUMBER: US/09/589,777
 C--> 11 <141> CURRENT FILING DATE: 2000-06-08
 11 <150> PRIOR APPLICATION NUMBER: PCT/US98/26057
 12 <151> PRIOR FILING DATE: 1998-12-08
 14 <150> PRIOR APPLICATION NUMBER: 60/108,536
 15 <151> PRIOR FILING DATE: 1998-11-16
 17 <150> PRIOR APPLICATION NUMBER: 60/082,663
 18 <151> PRIOR FILING DATE: 1998-04-22
 20 <150> PRIOR APPLICATION NUMBER: 60/067,888
 21 <151> PRIOR FILING DATE: 1997-12-08
 23 <160> NUMBER OF SEQ ID NOS: 23
 25 <170> SOFTWARE: FastSEQ for Windows Version 3.0

ERRORED SEQUENCES

243 <210> SEQ ID NO: 16
 244 <211> LENGTH: 48
 245 <212> TYPE: DNA
 246 <213> ORGANISM: Artificial Sequence
 248 <220> FEATURE:
 249 <223> OTHER INFORMATION: Oligonucleotide
 251 <400> SEQUENCE: 16
 E--> 252 tttttgaat tcatttcaag tgccaattat gagaagcctg ctctgcattt g

Does Not Comply
Corrected Diskette Needed

Number of sequences
differs, <211> length input: 48
51 sequences found.

51

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/589,777

DATE: 06/19/2000

TIME: 12:13:07

Input Set : A:\14401023011.txt

Output Set: N:\CRF3\06192000\I589777.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No
L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:252 M:252 E: No. of Seq. differs, <211>LENGTH:Input:48 Found:51 SEQ:16
L:316 M:283 W: Missing Blank Line separator, <220> field identifier